Appl. No.: 10/055,521

Art Unit: 1712; Docket No.: B01-13 Reply to Office Action of July 23, 2004

ACUSHNET COMPANY

LISTING OF CLAIMS

- 1. (Currently amended) A golf ball comprising a <u>solid</u>, <u>non-wound</u> core and a cover layer, wherein at <u>least one of</u> the <u>solid</u> core or cover layer comprises a <u>base rubber and a plasticized</u> polyurethane composition comprising at least one polyurethane material and at least one plasticizer.
- 2. (Original) The golf ball of claim 1, wherein the plasticizer is selected from the group consisting of alkyl adipates, alkyl phthalates, alkyl azelates, alkyl benzoates, alkyl citrates, soy and linseed oils, and mixtures thereof.
- 3. (Previously presented) The golf ball of claim 2, wherein the alkyl phthalate plasticizer is dialkyl phthalate.
- 4. (Original) The golf ball of claim 1, wherein the plasticizer is comprises C_3 - C_{10} dialkyl adipates, C_3 - C_{10} dialkyl phthalates, or acetyl tributyl citrate.
- 5. (Previously presented) The golf ball of claim 1, wherein the plasticizer comprises an alkyl phthalate selected from the group consisting of dibutyl phthalate, bis(2-ethylhexyl) phthalate, or a mixture thereof.
- 6. (Previously presented) The golf ball of claim 1, wherein the plasticized polyurethane composition comprises a foamable polyurethane compound produced by the reaction of a polyol and toluene diisocyanate, an amount of a non-halogen containing foaming agent sufficient to produce a foam from the polyurethane compound, and a non-halogen containing plasticizer selected from the group consisting of alkyl phthalate plasticizers and phosphate ester plasticizers.
- 7. (Original) The golf ball of claim 6, wherein the non-halogen containing foaming agent is water or a non-halogen containing gas.
- 8. (Original) The golf ball of claim 7, wherein the non-halogen containing foaming agent is water.

p. 4

Appl. No.: 10/055,521

Art Unit: 1712; Docket No.: B01-13 Reply to Office Action of July 23, 2004

(Withdrawn) The golf ball of claim 1, wherein said non-halogen containing plasticizer is a 9. phosphate ester.

ACUSHNET COMPANY

- (Withdrawn) The golf ball of claim 9, wherein said phosphate ester comprises 2-ethylhexyl 10. diphenyl phosphate, isodecyl diphenyl phosphate, mixed dodecyl and tetradecyl diphenyl phosphate, trioctyl phosphate, tributyl phosphate, butylphenyl diphenyl phosphate, isopropylated triphenyl phosphate, or a mixture thereof.
- (Withdrawn) The golf ball of claim 10, wherein the phosphate ester comprises 2-ethyl hexyl 11. diphenyl phosphate and isodecyl diphenyl phosphate.
- (Original) The golf ball of claim 6, wherein the phthalate plasticizer comprises diisononyl 12. phthalate, dihexyl phthalate, diheptyl phthalate, butyl octyl phthalate, linear dialkyl phthalate wherein the alkyl groups are independently carbon chains having from seven to eleven carbon atoms, and butyl cyclohexyl phthalate.
- (Withdrawn) The golf ball of claim 6, wherein the non-halogen containing plasticizer is an 13. alkyl aryl phthalate.
- (Withdrawn) The golf ball of claim 13, wherein the alkyl aryl phthalate comprises butyl 14. benzyl phthalate, alkyl benzyl phthalate wherein said alkyl group has a carbon chain having from seven to nine carbon atoms, and texanol benzyl phthalate.
- (Currently amended) The golf ball of claim 1, wherein the composition further base rubber 15. comprises synthetic polyisoprene, natural polyisoprene, polybutadiene, butyl rubber, polynorbornene, ethylene-propylene diene monomer rubber, or styrene-butadiene rubber, combined with high levels of oils, plasticizers, fillers, and mixtures thereof.
- (Currently amended) The golf ball of claim 1, wherein the solid core comprises a solid 16. center and an outer core layer.

p.5

Appl. No.: 10/055_521

Art Unit: 1712: Docket No.: B01-13 Reply to Office Action of July 23, 2004

- (Currently amended) The golf ball of claim 16, wherein at least one of the center or the core 17. layer comprises the plasticized polyurethane.
- (Original) The golf ball of claim 1, wherein the cover comprises an inner cover layer and an 18. outer cover layer.
- (Original) The golf ball of claim 18, wherein at least one of the inner or outer cover layers 19. comprises the plasticized polyurethane.
- (Original) The golf ball of claim 19, wherein at least one of the inner or outer cover layer 20. has a thickness of less than about 0.05 inches.
- (Original) The golf ball of claim 1, wherein the core has an outer diameter of at least about 21. 1.55 inches.
- 22. (Original) The golf ball of claim 21, wherein the core has an outer diameter of between about 1.57 inches and about 1.62 inches.
- (Original) The golf ball of claim 1, wherein the plasticizer comprises phthalic acid esters; 23. aliphatic dibasic acid esters; trimellitate esters; fatty acid esters; benzoic esters; aliphatic phosphates; aromatic phosphates; halogenated aliphatic phosphates; and mixtures thereof.
- (Original) The golf ball of claim 1, wherein the plasticizer comprises a hydrophobic 24. plasticizer.
- (Previously presented) The golf ball of claim 1, wherein the plasticizer comprises a 25. hydrophobic plasticizer comprising aromatic esters selected from the group consisting of dibutyl phthalate, dioctyl phthalate, diheptyl phthalate, bis (2-ethylhexyl) phthalate, dicyclohexyl phthalate, butyl lauryl phthalate, diisooctyl phthalate, butylcoconutalkyl phthalate, ditridecyl phthalate, dilauryl phthalate, diisodecyl phthalate, butylbenzyl phthalate, octyldecanoyl phthalate, dimethylglycol phthalate, ethylphthalyl ethylene glycolate, methylphthalyl ethylene glycolate,

Appl. No.: 10/055,521 Art Unit: 1712; Docket No.: B01-13 Reply to Office Action of July 23, 2004

butylphthalyl ethylene glycolate, dinonyl phthalate, diheptyl phthalate, octyldecyl phthalate, ditridecyl phthalate, dicapryl phthalate, bis(3,5,5-trimethylhexyl) phthalate, isooctylisodecyl phthalate, bis(diethyleneglycolmonomethylether) phthalate, and benzphenol.

- 26. (Withdrawn) The golf ball of claim 24, wherein the hydrophobic plasticizer comprises aliphatic esters selected from the group consisting of mono-, di-, or polyester of higher fatty acid having 8 or more carbons with di-, tri-, or polyhydric alcohol, glycerin monostearate, glycerin 12-hydroxy stearate, glycerin distearate, diglycerin monostearate, tetraglycerin monostearate, glycerin monolaurate, diglycerin monolaurate, tetraglycerin monolaurate, polypropylene adipate, diisodecyl adipate, bis(2-methylhexyl) adipate, dicapryl adipate, diisooctyl adipate, octyldecyl adipate, isooctylisodecyl adipate, dibutyl fumarate, dioctylfumarate, triethyl citrate, acetyltriethyl citrate, tributyl citrate, and acetyltributyl citrate.
- 27. (Withdrawn) The golf ball of claim 24, wherein the hydrophobic plasticizer comprises phosphate esters selected from the group consisting of tricresyl phosphate, phenyldicresyl phosphate, xylenyldicresyl phosphate, cresyldixylenyl phosphate, triphenyl phosphate, tributyl phosphate, trichloroethyl phosphate, trioctyl phosphate, tributyl phosphate, trichloroethyl phosphate, trioctyl phosphate, trichloroethyl phosphate, trioctyl phosphate, trichloroethyl phosphate, trioctyl phosphate, trichloroethyl phosphate, trioctyl phosphate, trioctyl phosphate.
- 28. (Withdrawn) The golf ball of claim 24, wherein the hydrophobic plasticizer comprises epoxy compounds selected from the group consisting of butylepoxy stearate, octylepoxy stearate, epoxybutyl oleate, epoxidized butyl oleate, epoxidized soybean oil, epoxidized linseed oil, epoxidized alkyl oil, and epoxidized alkyl oil alcohol ester; and mixtures thereof.
- 29. (Original) The golf ball of claim 1, wherein the plasticizer is selected from the group consisting of alkyl adipates, alkyl phthalates, alkyl azelates, alkyl benzoates, alkyl citrates, similar soy and linseed oils, C₃-C₁₀ dialkyl adipates, C₃-C₁₀ dialkyl phthalates, acetyl tributyl citrate, dibutyl phthalate, bis(2-ethylhexyl) phthalate, diisopropyl adipate, dibutyl adipate, bis(2-ethylhexyl) adipate, acetyl tributyl citrate, phthalates, adipates, sebacates, azelates, trimellitates, glutarates, benzoates, alkyl alcohols, phosphates, and mixtures thereof.

p. 7

Appl. No.: 10/055,521 Art Unit: 1712; Docket No.: B01-13 Reply to Office Action of July 23, 2004

(Original) The golf ball of claim 1, wherein the polyurethane composition comprises a 30. saturated polyurethane.

ACUSHNET COMPANY

- 31. (Original) The golf ball of claim 1, wherein the polyurethane composition comprises a UV absorber or a light stabilizer.
- (New) A golf ball comprising: 32.

a core having an outer diameter of between about 1.57 inches and about 1.62 inches; an inner cover layer having a thickness of less than about 0.05 inches; and an outer cover layer having a thickness of less than about 0.05 inches;

wherein at least one of the inner and outer cover layers comprises a plasticized polyurethane composition comprising a foamable polyurethane compound produced by the reaction of a polyol and toluene diisocyanate, an amount of a non-halogen containing foaming agent sufficient to produce a foam from the polyurethane compound, and a non-halogen containing plasticizer selected from the group consisting of alkyl phthalate plasticizers and phosphate ester plasticizers.

33. (New) A golf ball comprising:

a solid core having an outer diameter of at least about 1.55 inches;

an inner cover layer; and

an outer cover layer;

wherein at least one of the inner and outer cover layers has a thickness of less than about 0.05 inches and comprises a saturated thermoset plasticized polyurethane composition comprising a polyurethane material and a plasticizer.

- (New) The golf ball of claim 33, wherein the plasticized polyurethane is castable, reaction 34. injection moldable, sprayable, or applied in a laminate form.
- (New) The golf ball of claim 33, wherein the composition further comprises at least one of 35. a synthetic polyisoprene, a natural polyisoprene, a polybutadiene, a butyl rubber, a polynorbornene, an ethylene-propylene diene monomer rubber, or a styrene-butadiene rubber.